

SUBJECT

July 22, 2002

TECHNICAL DRAWING CROSS REFERENCE CHART

TECHNICAL
DRAWING CROSS
REFERENCE

| OLD # | NEW# | DESCRIPTION |
|-------|---------|--|
| 100 | 80.0127 | STANLEY MP Control w/ LO21U, BG, Eagle |
| 101 | 80.0126 | STANLEY Duraglide w/ Wizard System, Microcell 1 |
| 102 | 80.0125 | STANLEY Tan/Black/Silver Control w/ LO21,LO21S,BG,DK12 |
| 103 | 80.0124 | STANLEY MP Control w/ LO21,LO21S,BG,DK12 |
| 104 | 80.0123 | STANLEY Duraglide w/ Wizard System (TB1-3) |
| 105 | 80.0122 | STANLEY Duraglide w/ Wizard System (10-39) |
| 106 | 80.0121 | STANLEY MP w/ Parallax 2 System (LO21S) |
| 107 | 80.0120 | STANLEY MP w/ Parallax 2 System (LO21U) |
| 109 | 80.0119 | STANLEY Duraglide w/ Wizard, Microcell 1 System |
| 110 | 80.0118 | STANLEY Duraglide w/ Wizard, Crystal sidelite protection |
| 113 | 80.0117 | STANLEY Duraglide w/ Wizard, MC-25, Maglocks |
| 150 | 80.0116 | TORMAX TDA w/ LO21,BG,DK12,Eagle |
| 151 | 80.0115 | TORMAX Sliding Door w/ Wizard System |
| 152 | 80.0114 | TORMAX TDA Single w/ Parallax 1 System (LO21) |
| 153 | 80.0113 | TORMAX TTX Single w/ Eagle, MC15, BG,DK12, SS |
| 154 | 80.0112 | TORMAX TTX Single w/ Eagle, MC15, BG,DK12, LE21, SS |
| 200 | 80.0111 | KM 2000 Electra-Hydraulic w/ LO21,BG,SS,Inhibit Relay |
| 201 | 80.0110 | KM 2100/2800 "B" Control Single w/ SS,Inhibit Relay |
| 202 | 80.0109 | KM 2000 Electra-Hydraulic W/ LO2,LO21S,BG |
| 203 | 80.0108 | KM 3000 (Micro) Control w/ LO21,BG,DK12 |
| 204 | 80.0107 | KM 2000 Electra-Hydraulic BG w/ Safety side SS |
| 205 | 80.0106 | KM 3000 w/ Eagle,SS21,BG,SS,Inhibit Relay |
| 301 | 80.0104 | HORTON C2150 Slider w/ Keypad,PP,Nurses Station Switch |
| 302 | 80.0103 | HORTON C2150 Slider w/ Apex Interface Board |
| 303 | 80.0102 | HORTON C2150 w/ Wizard System |
| 304 | 80.0101 | HORTON C2160-2 w/ Wizard System, Interface Board |
| 305 | 80.0100 | HORTON C4160-1,2 w/LO21,LO21S,BG,DK12 |
| 306 | 80.0099 | HORTON C4190 w/ Parallax 2 System |
| 307 | 80.0098 | HORTON C4160-1 Dual w/ SS21,SS Inhibit Relay |
| 308 | 80.0097 | HORTON C2150 Slider w/ Crystal,PP |
| 309 | 80.0096 | HORTON C7160 Swinger w/ MC15,BG,DK12,SS,LE21 |
| 310 | 80.0095 | HORTON C4160-2 w/ Parallax 2 System,SS Inhibit Relay |
| 311 | 80.0094 | HORTON C4190,C3938 P/S w/ Parallax 2 System |
| 313 | 80.0092 | HORTON C4190 w/ Parallax 2 System,SS Inhibit Relay |
| 314 | 80.0091 | HORTON C2150 w/ Eagles,Crystals System |
| 400 | 80.0090 | GYROTECH GT710 w/ MC65 |
| 401 | 80.0089 | GYROTECH 300,400,500 w/ SS21,SS,Inhibit Relay |
| 403 | 80.0088 | GYROTECH 300,400 w/ Parallax 2(LO21S) |
| 404 | 80.0087 | GYROTECH 300,400,500 w/LO21,LO21S,BG,DK12 |
| 406 | 80.0086 | GYROTECH 300,400 w/ Parallax 2(MC15) |
| 409 | 80.0085 | GYROTECH 300,400,500 w/LO21,DK12,MC10 |
| 410 | 80.0084 | GYROTECH 1175 Slider w/ Wizard System |
| 411 | 80.0083 | GYROTECH 1100 Slider w/ Wizard System, Interface Board |

TECHNICAL
DRAWING CROSS
REFERENCE

| OLD # | NEW# | DESCRIPTION |
|-------|---------|--|
| 415 | 80.0082 | GYROTECH U11 Control w/ Bodyguard |
| 500 | 80.0081 | DOM Astro-swing w/ LO21,LO21S,BG,DK12 |
| 501 | 80.0080 | DOM Astro-swing w/ Parallax 2 System (LO21S) |
| 502 | 80.0079 | DOM Astro-Slide w/ Crystal,Eagle |
| 504 | 80.0078 | DOM Astro-swing w/ Parallax 2 System (LO21) |
| 509 | 80.0077 | DOM Astro-swing w/ MC-15,BG,PP |
| 510 | 80.0076 | DOM Interface Cable,Chip w/ Superscans |
| 512 | 80.0075 | Bodyguard Dual Egress |
| 513 | 80.0074 | DOM Superscan Safety Side Cutoff Switch |
| 514 | 80.0073 | DOM Interface Cable,Chip w/ Safety Beams |
| 516 | 80.0072 | DOM Interface Cable, Chip |
| 517 | 80.0071 | DOM Jr. Swing w/ MC15,LE21,BG,SS |
| 519 | 80.0070 | DOM Astro-slide w/ Crystal,Eagle,Beams |
| 520 | 80.0069 | DOM Astro-slide w/ Wizard System |
| 523 | 80.0068 | DOM Astro-swing w/ LO21,BG,DK12,Eagle |
| 550 | 80.0067 | Entrance Technology 7000 w/ MC15Eagle,BG,DK12 |
| 600 | 80.0066 | BESAM Swingmaster 300,400 Single w/Parallax 1(LO21) |
| 601 | 80.0065 | BESAM Swingmaster 300,400 w/LO21,LO21S,BG,DK12 |
| 602 | 80.0064 | BESAM 4000 w/ Wizard System |
| 604 | 80.0062 | BESAM AMD 1 Slider w/ Wizard, Microcell Beams |
| 605 | 80.0061 | BESAM Sliders W/ CPSS-12 1-way Traffic |
| 606 | 80.0060 | BESAM PassPort PLUS Dual Ver.6.1,2 w/ Relay |
| 607 | 80.0059 | BESAM AMD 1 Slider w/ Wizard System |
| 608 | 80.0058 | BESAM AMD 2 Slider w/ Wizard System |
| 609 | 80.0057 | BESAM Electra 150 Swinger w/ LO21,LO21S,BG,DK-12 |
| 610 | 80.0056 | BESAM Swingmaster 300,400 Dual w/ Parallax 2 (LO21) |
| 611 | 80.0055 | BESAM MP w/ Parallax 1 (LO21) |
| 612 | 80.0054 | BESAM 4000 w/ Wizard, Microcell Beams |
| 614 | 80.0053 | BESAM MP Single w/ Passport Plus |
| 615 | 80.0052 | BESAM MP Single w/ Passport System |
| 619 | 80.0050 | BESAM Swingmaster 300,400 Single w/ PassPort Plus |
| 620 | 80.0049 | BESAM Swingmaster 300,400 Dual w/ Parallax 2 (LO21B) |
| 622 | 80.0047 | BESAM 9000MP Dual w/ Passport Plus, Transformer |
| 623 | 80.0046 | BESAM 9000MP Single w/ Passport Plus, Transformer |
| 624 | 80.0045 | BESAM 9000MP Dual w/ Passport Plus |
| 628 | 80.0041 | BESAM Powerswing with Receiver 2 Transmitter |
| 629 | 80.0040 | BESAM AMD2 with EAGLE, MICROCELL1 |
| 700 | 80.0039 | LCN ES7982 Control Dual w/Eagle,PP,Card Reader,MC15,DK12 |
| 701 | 80.0038 | LCN ES7982 Control Dual w/PP,MC15,DK12 |
| 702 | 80.0037 | LCN 4630/ 4640 w/ 2Eagles,MC15,DK12,SS,LE21, |
| 900 | 80.0036 | Bodyguard Dual Egress |
| 901 | 80.0035 | DK12, BG w/ LO21 |
| 902 | 80.0034 | LE21 Door w/ Remote |
| 903 | 80.0033 | LE21 Door w/ Remote |
| 904 | 80.0032 | LE21 w/ LO21S or MC-15 |



Technical Bulletin #20

Please Pass On To Your Technicians

TECHNICAL
DRAWING CROSS
REFERENCE

| OLD # | NEW# | DESCRIPTION |
|-------|---------|--|
| 905 | 80.0031 | LE21, MC15 |
| 906 | 80.0030 | 3-Way Interlock Manual Doors w/ Maglocks |
| 907 | 80.0029 | Four Manual Doors w/ Maglock (Interlocked) |
| 908 | 80.0028 | Request to Exit Manual Doors |
| 909 | 80.0027 | Two Manual Doors w/ Maglock (Interlocked) |
| 910 | 80.0026 | Two Manual Doors w/ Maglock Always Locked |
| 911 | 80.0025 | LE21, LO21, BG, SS |
| 912 | 80.0024 | LO-21S, LE-21 with Superscan eliminate push-n-go effect |
| 913 | 80.0023 | Door Pros w/ 2 MC25 |
| 914 | 80.0022 | MC25 w/ Electric Strike, Automatic Door |
| 915 | 80.0021 | Maglock Nighttime Operation |
| 916 | 80.0020 | MC25 with Receiver Night Mode Relay |
| 917 | 80.0019 | MC25/Strike - Remote Lock Release, Fire Alarm Keypad/PP |
| 918 | 80.0018 | MC25 w/ Sargent EL Panic Device, Auto Door Operator |
| 919 | 80.0017 | MC25 Separate Power Supply for Maglock |
| 920 | 80.0016 | MC25 with Separate Power Supply for Panic Hardware |
| 921 | 80.0015 | MC25 with Maglock, Automatic Door Application |
| 922 | 80.0014 | Pair of Doors w/ MC25, Electric Strike, Manual Flush Bolts |
| 923 | 80.0013 | Prison Door Release and Maglocks |
| 924 | 80.0012 | Dual MC25, Electric Strike and auto flush bolts in active leaf |
| 925 | 80.0011 | MC-25 with 4 wire Receiver w/ Pushbutton |
| 926 | 80.0010 | MC50 Interlock w/ MC25 |
| 927 | 80.0009 | MC50 w/ Bypass Switch |
| 928 | 80.0008 | Four Doors w/ 2 MC50 |
| 929 | 80.0007 | Target BG Cut-off Switch |
| 930 | 80.0006 | Retrofit Wizard System w/ Interface, Motion Presence Seper |
| 931 | 80.0005 | Retrofit Wizard System w/ Interface, Motion Pres Paralled |
| 932 | 80.0004 | Wizard.2 System, Horton 2160/Gyro-Tech/KM Systems |
| 933 | 80.0003 | Presence Wizard.2 System |
| 934 | 80.0002 | Sliding Door Lock w/ Wizards (DC only) |
| 935 | 80.0001 | Sliding Door Lock w/ Wizards (AC only) |
| 936 | 80.0000 | On/Off/Hold Open Switch Wiring Diagram |

COMPANY
CONTACT

If after troubleshooting a problem, a satisfactory solution cannot be achieved, please call B.E.A., Inc. for further assistance during Eastern Standard Time at **1-800-523-2462 from 7am - 5pm.**
For after-hours, call East Coast: 1-866-836-1863 or 1-800-407-4545 / Mid-West: 1-888-308-8843 / West Coast: 1-888-419-2564. DO NOT leave any problem unresolved. If you must wait for the following workday to call B.E.A., leave the door inoperable until satisfactory repairs can be made.
NEVER sacrifice the safe operation of the automatic door or gate for an incomplete solution.
web: www.beasensors.com